Proudly Australian

Carbon In-Line - Disposable



The Carbon In-Line cartridge is designed to meet the market requirements for a compact, easily installed and removed in-line cartridge. Manufactured from Acid-Washed Activated Carbon it is ideal for the removal of Chlorine and other objectionable tastes and odours from potable water supplies, and will also remove limited quantities of rust, sand, silt and other sediments.

The cartridge is constructed and designed to insure maximum contact time and to discourage channelling. The use of quality materials and construction resist damage from rust, corrosion and vibration making it suitable for a wide variety of Point Of Use (POU) applications.

Features and Benefits

- Price Competitive
- Simple Installation
- Disposable
- Quality Materials
- Wide Variety of Applications
- Individually Wrapped and Sealed

Typical Applications

- Post-Reverse Osmosis (RO)
- Water Coolers
- Beverage Dispensers
- Ice Machines (Fridges, etc.)
- Recreation Vehicles
- **Boats**

General Specifications

Micron Ratings (Nominal): 10

Lengths:

Model: WCICI10W14 254mm (10") 280mm (11") WCICI11W14

Diameter:

Model: WCICI10W14 51mm (2") WCICI11W14 $64\text{mm} (2\frac{1}{2})$ 1/4" NPT Thread size: 4.4°C - 43°C Temperature Ranges: (40°F - 110°F)

690 kPa (100 psi)

Filter Capacity:

Operating Pressure:

Model: WCICI10W14 @ 2.8 lpm 5,700 Lts WCICI11W14 @ 2.8 lpm 11,400 Lts

(Estimated capacity based on 2.0 mg/l free available chlorine, capacity will vary depending on raw water quality.)

NOTE:

Recommended cartridge change is 6-9 months from date of installation, or earlier if required or at a maximum increased pressure differential of 69kPa (10psi), whichever occurs first.

Warning:

For drinking water applications, do not use water that is microbiologically unsafe or of unknown quality without adequate disinfection.





Model No.

1800 069 800 0269 258 555 COOLABAH WATER

Ah that's better!

WCICI10W14

WCICI11W14

WCICI 0309

11"

10"

Phone

sable