Proudly Australian

Filter System Quick Connect Undersink

The WQCUS Single Undersink filter system is designed for improving the quality and taste of Potable Water. The system is Slimline and Compact with Push Fit connections, it uses a High Quality Carbon Cartridge which will filter dirt particles like sand, silt and rust while reducing Chlorine Taste, Odour and Organics. The cartridge will also remove 99.9% of Giardia and Cryptosporidium Cysts.

To replace the cartridge there is NO need to turn off the inlet supply like other systems as the Filter Head has a Non-Return Valve fitted internally. The Cartridge and Head have Quick Twist Threads for easy and quick cartridge changing. With this system there is NO water spillage and NO mess.

Features and Benefits

- Reduced Chlorine Taste and Odour
- Reduces certain V.O.Cs and Pesticides
- Sparkling Clean, Fresh Tasting Water
- Continuous Supply of Filtered Water at your Finger Tips
- High Quality Water at a very Low Cost •
- No More Bulky Water Dispensers or Storage Bottles
- Superior Quality Filter Cartridge
- Full Flavour from Tea, Coffee, Beverages and Cooking
 - Simple Installation and Easy To Use



General Specifications

Operating Pressure:

Connection: ½" Compression or ½" BSP (Female)

Dimensions: Height: 385mm (151/8") Width: 95mm (3³/₄") Depth: $90 \text{mm} (3\frac{1}{2})$

2°C - 38°C Temperature Ranges: (35°F - 100°F) Flow Rate (Maximum): 1.9 Lpm

System Tested and Certified by NSF International against ANS/NSF Standard 42, for the reduction of Taste and Odour and Chlorine

NOTE:

Recommended cartridge change is up to 12 months from date of installation, or earlier if required or at a maximum increased pressure differential of 69 kPa (10psi), whichever occurs first.

Warning: For drinking water applications, do not use water that is microbiologically unsafe or of unknown quality without adequate disinfection.

Phone 1800 069 800 0269 258 555

COOLABAH WATER Ah that's better!

WQCUS12 **Model No:**

Replacement Cartridge: WCQCLCB12

890 kPa (125 psi) (Max.)