

Proudly Australian



The Hot Water String Wound Filter Cartridge is designed to meet the most demanding filtration duties in Hot or Cold water. They offer an economic, compact, easily installed and maintained filtration system for the removal of particulate from liquid. They are an economical solution for the reduction of fine sediment such as sand, silt, rust and scale particles in domestic and light commercial applications.

The string roving made from cotton is then wound over a perforated Stainless Steel core for increased strength in Hot Water. The roving is wound in a precise pattern providing the filter with a greater surface area. The result is a higher dirt loading capacity filter with a minimal pressure drop. The String Wound cartridge has been on the market for many years and has a proven record of consistent performance.

Features and Benefits

- Wide Temperature Range Capability
- Larger Surface Area
- High Dirt Holding Capacity
- Excellent Filtering Performance
- Individually Wrapped and Sealed

Typical Applications

- Domestic
- Commercial
- Light Industrial

General Specifications


- Micron Rating (Nominal): 1
- Lengths: 250mm (9⁷/₈"
508mm (20")
- Outside Diameter: 60mm (2¹/₄"
- Inside Diameter: 28mm (1¹/₈"
- Temperature Ranges: 4.4°C - 100°C
(40°F - 212°F)

NOTE:

Recommended cartridge change is at a maximum increased pressure differential of: 69 kPa (10 psi)

Flow Performance

*Based on 10" length filter in clean water



Series: WCSWHW



String Wound Sediment Hot Water

Warning:

For drinking water applications, do not use Water that is microbiologically unsafe or of unknown quality without adequate disinfection.

Model No.

10"

20"

WCSWHW10S01

WCSWHW20S01

Phone
1800 069 800
0269 258 555

COOLABAH WATER

Ah... that's better !